

2026
2027

HYUNDAI L&C
Bodaq

INTERIOR FILM



2026 — 2027

HYUNDAI L&C NEW COLLECTION
Creative and Environmental Interior Solution Provider

HYUNDAI L&C **Bodaq**

INTERIOR FILM

HYUNDAI L&C **Bodaq**

INTERIOR FILM

2026 — 2027

HYUNDAI L&C NEW COLLECTION
Creative and Environmental Interior Solution Provider



www.ebodaq.com



Index.

APZ	
APZ05	108
APZ18	108
APZ25	108
APZ26	108
BLC	
BLC01	NEW 10
BLC02	NEW 10
BLC03	NEW 10
BLC04	NEW 10
BLC05	NEW 10
BLC06	NEW 10
BLC07	NEW 10
CP	
CP202	22
ECF	
ECF01	NEW 121
EXF	
EXF51	NEW 120
EXF52	NEW 120
EXF53	NEW 120
EXF54	NEW 120
HS	
HS204	22
LM	
LM202	22
LS	
LS102	22
LS103	22
LS104	22
LS106	22
LW	
LW101	46
LW102	45
LW103	46
LW104	54
LW105	53
LW106	54
LW107	52
LW108	51
LW109	52
LW110	44
LW111	43
LW112	44
LW113	50
LW114	49

LW115	50
LW116	48
LW117	48
LW118	56
LW119	56
LW120	55
LW121	NEW 41
LW122	NEW 40
LW123	NEW 42
LW201	NEW 37
LW202	NEW 38
LW203	NEW 36
NF	
NF901	100
NF902	100
NF903	99
NF904	99
NF905	99
NF906	99
NS	
NS118	119
NS119	119
NS120	117
NS121	117
NS122	117
NS123	117
NS201	NEW 116
NS202	NEW 116
NS401	118
NS403	118
NS601	107
NS602	107
NS703	118
NS710	117
NS711	117
NS715	119
NS717	118
NS804	119
NS806	119
NS814	119
NS822	118
NS823	118
NS898	118
OGW	
OGW01	NEW 32
OGW02	NEW 31

OGW03	NEW 31
OGW04	NEW 33
OGW05	NEW 33
OGW06	NEW 34
PM	
PM003	111
PM004	113
PM006	115
PM007	115
PM008	113
PM009	114
PM010	114
PM014	112
PM016	112
PM017	111
PM019	110
PNC	
PNC41	12
PNC42	11
PNC43	12
PNC44	11
PNC45	13
PNC46	13
PNC47	11
PNC49	11
PNC50	12
PNC51	11
PNC52	11
PNC53	13
PNC54	13
PNC55	11
PNC56	12
PNC57	13
PNC58	12
PNC59	12
PNT	
PNT01	19
PNT02	19
PNT03	19
PNT04	19
PNT05	19
PNT07	19
PNT09	19
PNT10	19
PTW	
PTW01	20

PTW02	20
PTW04	20
PTW05	20
PTW06	20
PTW07	20
PTW08	20
PTW09	20
PTW10	20
PTW11	20
PTW12	20
PTW14	20
PTW15	20
PTW16	20
RF	
RF001	101
RF008	101
RF010	101
RF011	101
RM	
RM002	107
RM003	107
RM004	107
RM005	107
RM007	107
RM008	107
RM009	107
RM011	107
RM012	107
RM015	107
RM051	107
S	
S115	15
S126	15
S127	16
S128	15
S140	15
S141	16
S143	15
S145	16
S146	17
S147	17
S149	15
S150	17
S153	16
S156	16
S157	16

S158	15
S159	15
S166	17
S169	17
S173	17
S175	17
S176	15
S177	15
S178	15
S179	15
S181	15
S183	16
S185	16
S186	17
S188	17
S189	17
S194	17
S195	16
S197	15
S198	16
S200	16
S201	16
S202	16
S204	16
S208	15
S209	15
S210	15
S211	15
S212	16
S213	17
S214	16
S215	16
S216	15
S217	16
S218	16
S219	17
S230	16
S231	15
S232	17
S233	16
S234	16
S235	15
S236	15
S237	16
S238	16
S239	16

S240	15
S241	17
S242	16
S243	15
S244	15
S245	15
S246	16
S247	16
S248	16
S249	16
S250	17
S251	16
S252	16
S253	16
S254	16
S255	15
S256	15
S257	15
S258	15
S259	15
S260	15
S261	NEW 16
S262	NEW 16
S263	NEW 15
S264	NEW 15
S265	NEW 15
S266	NEW 15
SF	
SF801	NEW 98
SF802	NEW 98
SF803	NEW 98
SF804	NEW 98
SL	
SL401	NEW 102
SL402	NEW 102
SL403	NEW 102
SL404	NEW 102
SMT	
SMT01	21
SMT02	21
SMT03	21
SMT04	21
SMT05	21
SMT06	21
SMT07	21
SMT10	21

SMT11	21
SMT12	21
SMT13	21
SMT14	21
SMT15	21
SMT16	21
SMT17	21
SMT18	21
SMT20	21
SMT21	21
SMT24	21
SPW	
SPW01	71
SPW03	64
SPW05	61
SPW09	NEW 57
SPW10	NEW 57
SPW11	70
SPW12	72
SPW13	73
SPW14	83
SPW15	65
SPW16	71
SPW17	66
SPW18	71
SPW19	81
SPW20	81
SPW22	60
SPW23	67
SPW24	72
SPW25	80
SPW26	71
SPW27	81
SPW28	82
SPW29	68
SPW30	70
SPW38	NEW 59
SPW39	NEW 59
SPW40	79
SPW41	82
SPW42	86
SPW43	69
SPW44	85
SPW45	60
SPW46	64

SPW47	84
SPW48	84
SPW49	76
SPW50	76
SPW52	79
SPW53	81
SPW54	67
SPW55	86
SPW56	80
SPW57	84
SPW60	75
SPW61	62
SPW62	66
SPW63	63
SPW64	70
SPW65	83
SPW66	65
SPW67	74
SPW68	62
SPW69	75
SPW70	78
SPW71	68
SPW72	84
SPW73	77
SPW88	NEW 58
SPW89	NEW 58
SPW90	69
SPW91	63
SPW92	85
SPW94	70
SPW95	73
SPW96	74
SPW97	78
SPW98	61
SPW99	77
UMI	
UMI01	106
UMI02	106
UMI05	106
UMI06	106
VM	
VM901	104
VM902	105
VM903	105
VM904	105

VM905	103
VM906	103
VM907	104
VM908	104
VM909	103
VM910	104
VM911	105
W	
W011	93
W012	93
W015	94
W016	96
W017	NEW 91
W018	NEW 91
W134	94
W141	95
W171	95
W177	95
W183	95
W189	93
W192	93
W196	93
W198	93
W200	94
W206	95
W207	96
W260	95
W301	94
W302	95
W351	94
W357	94
W375	93
W376	95
W388	94
W389	94
W390	94
W401	94
W402	NEW 91
W403	NEW 91
W504	94
W508	95
W528	93
W531	94
W538	94
W632	94

W638	96
W681	95
W705	96
W722	96
W727	96
W741	NEW 92
W742	NEW 92
W816	95
W823	96
W842	95
W845	95
W863	93
W864	95
W867	94
W870	95
W871	93
W874	94
W877	94
W878	94
W879	94
W880	96
W881	94
W882	93
W883	96
W933	93
W935	93
W937	93
W942	95
W943	95
W946	93
W949	95
W952	94
W953	96
W954	96
W955	96
W956	96
W957	NEW 92
W958	NEW 92
ZSW	
ZSW04	20
ZX	
ZX102	88
ZX103	87
ZX104	89
ZX107	89

ZX108	89
ZX109	89
ZX110	89
ZX113	87
ZX114	88
ZX116	90
ZX118	90
ZX119	89
ZX124	89
ZX125	90
ZX126	90
ZX130	88
ZX133	90
ZX134	90
ZX141	90
ZX144	88
ZX145	88
ZX149	89
ZX152	88
ZX153	87
ZX154	89
ZX155	87
ZX156	88
ZX157	90
ZX158	90
ZX159	88
ZX161	87
ZX162	88
ZX163	88
ZX165	87
ZX166	87
ZX169	89
ZX171	87
ZX172	89
ZX174	90
ZX175	90
ZX176	87
ZX178	87
ZX179	87
ZX180	88

CONTENTS

01 BASIC 09p	Mono Blanc Premium Painted Concrete Solid Premium Painted Wood Painted Wood Super Matt Texture
02 WOOD 23p	Optical Grain Wood Long Wood Origin Wood Premium Wood Standard Wood
03 NATURAL SURFACE 97p	Soft Fabric Natural Fabric Real Fabric Soft Leather Velvet Metal UMI Real Metal Gold
04 STONE & MARBLE 109p	Premium Marble Stone & Marble
05 ETC 120p	Exterior Film Easy Clean Film



Scan QR Code to explore Bodaq Interior Films online.
The pattern images of all Bodaq Interior Film series are available.

www.ebodaq.com



LIVING & CULTURE

Start your journey with Hyundai L&C,
to discover the most contemporary interior design,
where the life becomes the culture.

HYUNDAI L&C **Bodaq**

26-27 Trend Summary

Hyundai L&C Interior Film Bodaq
Inspired by nature, Built on Trust

Care-full

Amid social changes, health, relaxation, and emotional recovery have become priority, while the advancements in technology and infrastructure are expanding the role of spaces - from personal to social connections, health care and wellness. Reflecting this, Hyundai L&C's trend analysis for this year identifies the in-trend theme as '**Care-full : A Space Filled with Care**', suggesting a new perspective on space design with daily life stability, relationship restoration & medical · health care experiences. Explore the evolving trend toward Human-centered design filled with meticulous attention and sensitivity.

Ego Care

A private space of rest for personal recovery.

01

The warm, medium wood toned interior film adds a delicate grain throughout the space, creating a deep relaxing atmosphere.



96p


Teak W953

Connect Care

A space for fostering emotional connection.

02

LW Long Wood series articulate a community lounge that balances generous spatiality with a refined sense of comfort.



50p


Alpine Oak LW113

Bio Care

A wellness space for the balance of the body.

03

The subtle concrete pattern creates a calming visual environment, turning the act of staying in the space into a healing wellness experience.



11p

Moon Stone PNC55

Environment

We care the Environment



Eco-Label Certification

Bodaq Fire-Retardant Interior Film is an eco-friendly product certified with the Eco-Label, designed to minimize the content of harmful substances. The Environmental Label Certification is a recognized standard established to reduce resource waste & environmental pollution, which is a key criterion prioritized in material selections by public institutions. Bodaq Fire-Retardant Interior Film meets these stringent environmental and legal standards, offering a choice that can be applied with confidence in any public, commercial, and residential places.

- ※ In accordance with Article 6 of the Act on the Promotion of Green Product Purchases, public institutions are required to give priority to purchase green products when the supply is available.
- ※ Eco-Label Certification enables consumers to accurately identify the product & the service with superior environmental performance.
- ※ Discover our Eco-Label Certified Bodaq products and detailed technical information on the official website : (<https://m.ebodaq.com/Community/TechnologyData>)
- ※ Not intended for direct food contact - certification status may vary by Bodaq series, referring the technical data sheet on Bodaq official website is required.
- ※ Applicable Series : APZ, BLC, CP, HS, LM, LS, LW, NS, PM, PNC, PNT, PTW, RM, S, SF, SL, SMT, SPW, VM, W, ZSW, ZX



Environmental Product Declaration (EPD Certification)

EPD Certification evaluates the environmental impact of energy and resources across the entire product life cycle - including raw materials sourcing, production, distribution, use, and disposal. Bodaq Interior Film not only holds EPD Certification, but also continuously pursues improvements in environmental performance.



Eco-Friendly Building Materials Certification (HB Mark)

Bodaq Interior Film (non-fire-retardant) has achieved the highest grade in substance verification test in compliance with the Eco-Friendly Building Materials Certification (HB Mark) regulations established by the Korea Air Cleaning Association, by utilizing water-based adhesive applications.

Safety

Your Safety is our Priority



소방산업기술원

Fire-Retardant Performance Test

Bodaq Interior Film (fire-retardant) products, only films that have passed the Fire-Retardant performance test conducted by the Korea Fire Institute (KFI) are allowed to be distributed with the certification mark. For the corresponding results notification of each Fire-Retardant production lot, please contact your nearest Bodaq Interior Film distributor.

Fire-Retardant Performance [KFI Certification]					
Char Length ≤ 20 cm	Char Area ≤ 30 cm ²	Afterglow time ≤ 5 seconds	Afterflame time ≤ 3 seconds	Smoke density 200 Ds	
Stain-Resistant					
					
Soy Sauce	Coke	10% Hydrochloric Acid	Coffee	5% Ethanol	Wine Vinegar
No changes					

※ Certificates of performance, construction specifications, and technical data sheets can be found on the Bodaq official website (<https://m.ebodaq.com/Community/TechnologyData>), either can be requested to our headquarters or authorized distributors.

Bodaq × HanStone

Create a cohesive space by installing Bodaq and HanStone from Hyundai L&C.

HanStone



Denver

Bodaq



11p

Moon Stone **PNC55**



117p


Granite **NS121**

HanStone



Luna White

Bodaq



13p

Stone Blast **PNC53**



117p


Sierra Stone **NS123**

HanStone



Eden

Bodaq



15p

Matt Ivory **S256**



110p

Venato **PM019**

HanStone



Boa Vista

Bodaq



12p

Sand Stone **PNC59**




119p

White Marble **NS119**

01 COLLECTION

BASIC

Mono Blanc
Premium Painted Concrete
Solid
Premium Painted Wood
Painted Wood
Super Matt
Texture




HYUNDAI L&C 2026 - 2027
Bodaq Interior Film
New Collection

Mono Blanc series features the refined texture of plastered walls, that meets the warm mood of wallpaper. Experience the sophisticated variations of a white palette, each with its own delicate nuance.


Mono Blanc

● Fire Retardant ● General



Pure White

NEW ● ● BLC05



Cream

NEW ● ● BLC02



Cream White

NEW ● ● BLC06



Porcelain

NEW ● ● BLC03



White

NEW ● ● BLC07



Terranova

NEW ● ● BLC04



Valen

NEW ● ● BLC01

※ The images above are for illustrative purposes only, and may differ from the actual products.

Premium Painted Concrete



Stucco ●● PNC51



Moon Stone ●● PNC52



Slate ●● PNC47



●● PNC55



Stucco ●● PNC44



Moon Stone ●● PNC49



Stone Blast ●● PNC42

Bodaq Painted Concrete series creates a natural and refined space, featuring the authentic texture & soft shading of concrete as unique as a brushed plaster wall.

● LIVART Matching Film ● Fire Retardant ● General



Sand Stone ●● PNC58



Sand Stone ●● PNC59



Stone Blast ●● PNC41



Moon Stone ●● PNC50



Stone Blast ●● PNC43



●● PNC56




Stone Blast ●● PNC53



Stucco ●● PNC45



Stucco ●● PNC46




Stucco ●● PNC54




●● PNC57



Solid




Complete the space with enhanced, more diverse range of colors from calm neutral monochromatic hues to soft pastels and trendy shades.
Create a space that tells a unique and special story, one that is truly one-of-a-kind.



Solid

Upgraded Solid Colors with an even more refined & multidimensional texture. Add modern depth to the space with a polished surface finish.



NEW ●● S263



NEW ●● S264

Premium Painted Wood



Premium Painted Wood ●● PNT01



Premium Painted Wood ●● PNT03



PNT03



Premium Painted Wood ●● PNT05



Premium Painted Wood ●● PNT02




Premium Painted Wood ●● PNT04



Premium Painted Wood ●● PNT07



Premium Painted Wood ●● PNT09



Premium Painted Wood ●● PNT10

Discover the Painted Wood series, which captures the essence of paint and preserving the unique texture of wood.

Painted Wood

● Fire Retardant ● General



Super White Wood ●● ZSW04



Painted Wood ●● PTW16



Painted Wood ●● PTW10



Painted Wood ●● PTW01



Painted Wood ●● PTW02



Painted Wood ●● PTW14



Painted Wood ●● PTW08



Painted Wood ●● PTW11




Painted Wood ●● PTW12



Painted Wood ●● PTW06



Painted Wood ●● PTW05




Painted Wood ●● PTW09



Painted Wood ●● PTW07



Painted Wood ●● PTW15



Painted Wood ●● PTW04

※ The images above are for illustrative purposes only, and may differ from the actual products.










Super Matt

Bodaq Super Matt series features a premium, special surface texture treated product providing strong resistance to daily stains and scratches. Its gentle visual effect and luxurious tactile feel elevate the sophistication of any space to a new dimension.



Feel the texture * Premium matte finish applied.

The surface texture may vary between Fire-Retardant and General due to the manufacturing processes
(*Sample book reference: General version)

Super Matt 			  SMT24
			
Super Matt 			  SMT24
			
Super Matt 			  SMT21
			
Super Matt 			  SMT20
			
Super Matt 			  SMT18
			
Super Matt 			  SMT10
			
Super Matt 			  SMT11

Texture


 Fire Retardant  General



  LS102



  LS104




  HS204



  CP202



  LM202




  LS106



  LS103

WOOD

- Optical Grain Wood
- Long Wood
- Origin Wood
- Premium Wood
- Standard Wood



Long Wood


Bodaq LW Long Wood Series combines a luxurious surface finish with an extended 1,800mm vertical repeat, enhancing the beauty of high ceiling spaces. Experience the grandeur of Long Wood with LW Series.



Origin Wood


Bodaq SPW Origin Wood series delivers a more natural wood texture through premium surface coating and precise embossing. Explore SPW's luxurious surface finishes across a variety of colors and wood types.

Wood Palette





WOOD

Wood Palette



Bodaq Wood Palette Collection showcasing Bodaq Interior Film's premium wood series arranged by color. Browse our diverse range of wood products in various colors and types.





Noble Oak

NEW ● OGW02



Noble Oak

NEW ● OGW03

Discover Optical Grain Wood, where the depth of ink layered over delicate wood grains creates a realism of actual texture that mimics the essence of natural wood.

● Fire Retardant ● General ||| Vertical |||| Half Grain 🌿 Wood Grain



Noble Oak

NEW ● OGW01

※ The images above are for illustrative purposes only, and may differ from the actual products.

Optical Grain Wood



OGW06

● Fire Retardant ● General ||| Vertical |||| Half Grain 🌲 Wood Grain



Essence Teak

NEW ● OGW04 🌲



Essence Teak

NEW ● OGW05 🌲



Essence Teak

NEW ● OGW06 🌲

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood



LW203

Enhance spaces with high ceilings by creating a luxurious ambiance using the extended 1,800mm vertical width of Bodaq Long Wood.

● Fire Retardant ● General ||| Vertical |||| Half Grain ||||| Wood Grain



Noa Oak

NEW ● ● LW203 |||||

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood

● Fire Retardant ● General ||| Vertical |||| Half Grain ||||| Wood Grain



Noa Oak NEW ● ● LW201 ||||



Noa Oak NEW ● ● LW202 ||||



● Fire Retardant ● General ||| Vertical |||| Half Grain 🌲 Wood Grain



Arden Oak

NEW ● ● LW122 🌲

※ The images above are for illustrative purposes only, and may differ from the actual products.

Long Wood

● Fire Retardant ● General ||| Vertical |||| Half Grain 🌲 Wood Grain



Arden Oak **NEW** ● ● LW121 🌲



Arden Oak **NEW** ● ● LW123 🌲

Long Wood



Nordic Oak

● ● LW111



Nordic Oak

● ● LW110



Nordic Oak

● ● LW112

※ The images above are for illustrative purposes only, and may differ from the actual products.



Denver Oak

● ● LW102



Denver Oak

● ● LW101



Denver Oak

● ● LW103

※ The images above are for illustrative purposes only, and may differ from the actual products.



LW116

● Fire Retardant ● General ||| Vertical |||| Half Grain 🌲 Wood Grain



Amber Oak

● ● LW116



Amber Oak

● ● LW117

※ The images above are for illustrative purposes only, and may differ from the actual products.



Alpine Oak

● ● LW114



Alpine Oak

● ● LW113



Alpine Oak

● ● LW115

※ The images above are for illustrative purposes only, and may differ from the actual products.



Timber Oak

● ● LW108



Timber Oak

● ● LW107



Timber Oak

● ● LW109

● Fire Retardant ● General ||| Vertical |||| Half Grain 🌲 Wood Grain

※ The images above are for illustrative purposes only, and may differ from the actual products.



Sonoma Oak ● ● LW105



Sonoma Oak ● ● LW104



Sonoma Oak ● ● LW106

※ The images above are for illustrative purposes only, and may differ from the actual products.



Ebony Oak

● ● LW120



Ebony Oak

● ● LW118



Ebony Oak

● ● LW119

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



SPW10



Spanish Oak

NEW ● ● SPW09



Spanish Oak

NEW ● ● SPW10

Introducing the SPW series, a wood beyond wood, flawlessly recreated with Bodaq's unique technology and premium design. Experience a new dimension of premium finishes with the sturdy texture and natural feel, closely resembling real wood.

● Fire Retardant ● General ||| Vertical |||| Half Grain 🌲 Wood Grain



Eden Oak

NEW ● ● SPW88



Eden Oak

NEW ● ● SPW89



SPW89

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



SPW39



Siena Teak

NEW ● ● SPW38



Siena Teak

NEW ● ● SPW39

● Fire Retardant ● General ||| Vertical |||| Half Grain ||||| Wood Grain



Solid Oak

● ● SPW22



Oak

● ● SPW45 |||



SPW22

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Oak ● ● SPW98



Vertical Wood ● ● SPW05

● Fire Retardant ● General ||| Vertical |||| Half Grain 🌳 Wood Grain



Wash Oak ● ● SPW61



Oak ● ● SPW68



SPW68

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Oak ● ● SPW63 ||| Oak



● ● SPW91 |||



SPW91 · SPW92

● Fire Retardant ● General ||| Vertical ||| Half Grain 〰 Wood Grain



SPW03



Oak ● ● SPW46 ||| Oak



● ● SPW03 |||

Origin Wood



SPW15




Elm

SPW66



Velvet Oak

SPW15



Wild Oak

SPW17

Wash Oak

SPW62



SPW17

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



SPW54




Elder

SPW54



Solid Oak

SPW23



Oak

SPW29

Eucalyptus


SPW71



SPW29

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



SPW90

● Fire Retardant ● General ||| Vertical |||| Half Grain 🌳 Wood Grain



Oak

● ● SPW64 |||



White Oak

● ● SPW11 🌳



Oak

● ● SPW30 🌳



Soft White Oak

● ● SPW94 🌳



Oak

● ● SPW43 🌳



African Teak

● ● SPW90 |||



※ The images above are for illustrative purposes only, and may differ from the actual products.

SPW64

Origin Wood



Velvet Oak ● ● SPW16 🌲



Wild Oak ● ● SPW01 🌲



Wild Oak ● ● SPW18 🌲



Walnut ● ● SPW26 🌲



● Fire Retardant ● General ||| Vertical |||| Half Grain 🌲 Wood Grain



SPW12




Stripe Wood ● ● SPW24 |||



White Oak ● ● SPW12 🌲

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



● Fire Retardant ● General ||| Vertical |||| Half Grain 🌲 Wood Grain



Origin Wood



Oak

SPW69



Ash

SPW60

LIVART Matching Film Fire Retardant General Vertical Half Grain Wood Grain



Split Wood

SPW50



Split Wood

SPW49



SPW50

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



SPW73




Oak

SPW99



Walnut

SPW73



SPW70

※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Elm

● ● SPW40



Walnut



● ● SPW52



SPW40

● Fire Retardant ● General ||| Vertical |||| Half Grain ||||| Wood Grain



SPW25



Stripe Wood

● ● SPW25



Ash



● ● SPW56



※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Walnut

● ● SPW27



Oak

● ● SPW53



Dark Oak

● ● SPW19



Dark Oak

● ● SPW20



SPW19



SPW41 · SPW42



Teak

● ● SPW41



Walnut

● ● SPW28



※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Oak SPW65 Vertical Oak



SPW14 Wood Grain



SPW14



SPW47

Fire Retardant General Vertical Half Grain Wood Grain



Walnut SPW47 Half Grain



Walnut SPW72 Vertical



Ash SPW57 Wood Grain



Walnut SPW48 Half Grain


※ The images above are for illustrative purposes only, and may differ from the actual products.

Origin Wood



Oak

SPW44



Oak

SPW92



SPW44

Fire Retardant General Vertical Half Grain Wood Grain



SPW55



Teak

SPW42



Elder

SPW55



※ The images above are for illustrative purposes only, and may differ from the actual products.

Premium Wood



Oak ●● ZX171 ▨



Oak ●● ZX161 ▨▨



Ash ●● ZX103 ▨▨



Cherry ●● ZX155 ▨▨



Maple ●● ZX153 ▨▨



Teak ●● ZX178 ▨▨



Ash ●● ZX176 ▨▨



Oak ●● ZX166 ▨▨



Oak ●● ZX165 ▨▨



Oak ●● ZX179 ▨▨



Eiche ●● ZX113 ▨▨



ZX179

Experience a nature-inspired living space with Premium Wood, which faithfully replicates natural wood, offering not only visual beauty but also tactile details that can be felt at your fingertips, bringing nature into your daily life.

L LIVART Matching Film ● Fire Retardant ● General ▨▨ Vertical ▨▨ Half Grain ▨ Wood Grain



Oak ●● ZX162 ▨▨



Oak ●● ZX180 ▨▨



Oak ●● ZX144 ▨▨



Ash ●● ZX159 ▨▨



Oak ●● ZX145 ▨▨



Oak ●● ZX163 ▨▨



Wizard Grain ●● ZX102 ▨▨



Eiche ●● ZX114 ▨▨



Oak ●● ZX152 ▨▨



Ash ●● ZX156 ▨▨



Apple ●● ZX130 ▨▨



ZX180

※ The images above are for illustrative purposes only, and may differ from the actual products.

Premium Wood



Oak ●● ZX107 🌲



Oak ●● ZX108 🌲



Oak ●● ZX172 🌲



Ash ●● ZX110 🌲



Ash ●● ZX109 🌲



Walnut ●● ZX149 🌲



Oak ●● ZX154 🌲



Walnut ●● ZX119 🌲



Pine ●● ZX169 🌲



Oak ●● ZX124 🌲



Teak ●● ZX104 🌲

● Fire Retardant ● General ||| Vertical 🌲 Half Grain 🌲 Wood Grain



Walnut ●● ZX158 🌲



Walnut ●● ZX126 🌲



Teak ●● ZX118 🌲



Walnut ●● ZX175 🌲



Amazahoue ●● ZX116 🌲




Oak ●● ZX133 🌲



Oak ●● ZX174 🌲



Oak ●● ZX125 🌲



Oak ●● ZX134 🌲



Ash ●● ZX141 🌲



Oak ●● ZX157 🌲

※ The images above are for illustrative purposes only, and may differ from the actual products.

Standard Wood



Eucalyptus NEW ● ● W017



Eucalyptus NEW ● ● W018



Riven Oak NEW ● ● W402



Riven Oak NEW ● ● W403



Discover the diverse expressions of wood with Standard Wood, where the natural beauty of its patterns and textures seamlessly blend with your space.

● Fire Retardant ● General ||| Vertical |||| Half Grain ||||| Wood Grain



Soft Noche NEW ● ● W741



Soft Noche NEW ● ● W742



Velvet Oak NEW ● ● W957



Velvet Oak NEW ● ● W958

※ The images above are for illustrative purposes only, and may differ from the actual products.

Standard Wood



Oak

● ● W198



Oak

● ● W933



Wash Oak

● ● W011



Maple

● ● W189



Oak

● ● W012



Oak

● ● W863



Cedar

● ● W946



Maple

● ● W935



Ash

● ● W196



Burl Wood

● ● W882



Oak

● ● W937



Wash Oak

● ● W375



Oak

● ● W871



Castagno Cadduci

● ● W192



Noce

● ● W528



● Fire Retardant ● General ||| Vertical |||| Half Grain ||||| Wood Grain



White Oak

● ● W351



Ash

● ● W389



Ash

● ● W015



Castagno Cadduci

● ● W301



Maple

● ● W200



Maple

● ● W134



Elm

● ● W877



Ash

● ● W879



Maple

● ● W401



Oak

● ● W878



Sycamore

● ● W531



Noce

● ● W504



Teak

● ● W952



Ash

● ● W390



Pine

● ● W538



Ash

● ● W881



Oak

● ● W867



Ash

● ● W388



Ash

● ● W357



Oak

● ● W874



Castagno Cadduci

● ● W632

Standard Wood



Sycamore ●● W845 |||



Pine ●● W183 |||



Maple ●● W842 |||



Noce ●● W508 |||



Maple ●● W171 |||



Cherry ●● W816 |||



Walnut ●● W260 |||



Oak ●● W949



Oak ●● W864 |||



Teak ●● W870 |||



Africa Limba ●● W177



Walnut ●● W141



Walnut ●● W376



Walnut ●● W206 |||



Teak ●● W953 |||



Ash ●● W880



Rose Wood ●● W727 |||



Walnut ●● W954 |||



Walnut ●● W016



Noce ●● W823



Walnut ●● W956 |||



Walnut ●● W955 |||



Oak ●● W638 |||



Burl Wood ●● W883



Walnut ●● W207 |||



Noce ●● W722



Noce ●● W705

● Fire Retardant ● General ||| Vertical |||| Half Grain |||| Wood Grain

NATURAL
SURFACE

- Soft Fabric
- Natural Fabric
- Real Fabric
- Soft Leather
- Velvet Metal
- UMI
- Real Metal
- Gold

HYUNDAI L&C 2026 - 2027
Bodaq Interior Film
New Collection



The Soft Fabric series, with its natural textile texture, brings a gentle touch to create a modern yet warm interior atmosphere.

Soft Fabric

SF802 · LW122

● Fire Retardant ● General



Chevron

NEW ● ● SF801



Woven Fabric

NEW ● ● SF803



Chevron

NEW ● ● SF802



Woven Fabric

NEW ● ● SF804

※ The images above are for illustrative purposes only, and may differ from the actual products.


Natural Fabric




Oxford Twill ● NF904



Herringbone ● NF903



Oxford Twill ● NF905




Oxford Twill ● NF906



The Natural Fabric series, crafted by weaving real yarn, creates warmer, cozier spaces while adding an extra layer of sophistication to your interior.

NF902

● Fire Retardant ● General



Herringbone ● NF902



Herringbone ● NF901

※ The images above are for illustrative purposes only, and may differ from the actual products.

Real Fabric

The Real Fabric series is crafted using a woven technique that intertwines PVC yarns, offering the natural texture unique to fabric along with exceptional durability.



RF010



Real Fabric ● RF011



Real Fabric ● RF008



Real Fabric ● RF010



Real Fabric ● RF001

Soft Leather

Add a sense of warmth and depth to your space with Soft Leather, where a smooth touch and gentle sheen come together in perfect harmony.

● Fire Retardant ● General



Soft Leather NEW ● SL401



Soft Leather NEW ● SL402



Soft Leather NEW ● SL403



Soft Leather NEW ● SL404



※ The images above are for illustrative purposes only, and may differ from the actual products.

SL403


Velvet Metal

Experience the elevated luxury of Velvet Metal, showcasing subtle yet dramatic metallic textures in sophisticated colors.

● Fire Retardant ● General




Champagne ● ● VM905




Gold ● ● VM907



Rose Gold ● ● VM906




Light Brown ● ● VM908



Brown ● ● VM909



Ash ● ● VM910




Chrome ● ● VM901

※ The images above are for illustrative purposes only, and may differ from the actual products.




Velvet Metal




Grey ● ● VM902



Silver ● ● VM903



Sky Blue ● ● VM904



Navy ● ● VM911

The pinnacle of modernism, perfected by light. Experience the glamorous appeal of UMI Metal, which showcases the beauty of metal in its richest form.

UMI

● Fire Retardant ● General




UMI01 · UMI02



Shiny Rookie ● UMI02



Shiny Rookie ● UMI01



Hologram ● UMI06



Hologram ● UMI05




UMI05


※ The images above are for illustrative purposes only, and may differ from the actual products.

Real Metal


With Bodaq’s unique technology and expertise, we bring out the distinctive character and radiant beauty of metal. From elevators and windows to furniture doors, it adds a sophisticated touch to both residential and commercial spaces.



Real Metal ●● RM004



Real Metal ●● RM015




Real Metal ●● RM007




Real Metal ●● RM005




Real Metal ●● RM051



Real Metal ●● RM003




Real Metal ●● RM009



Real Metal ●● RM012




Real Metal ●● RM011



Patina Metal ●● NS602



Real Metal ●● RM002



Real Metal ●● RM008



Patina Metal ●● NS601



Gold

The striking gold accents naturally draw the eye to focal areas, creating an impressive atmosphere in any space.

● Fire Retardant ● General



Metal Weave ●● APZ18



Golden Fabric ●● APZ25



Gold Crack ●● APZ05



Golden Fabric ●● APZ26



STONE & MARBLE

Premium Marble
Stone & Marble


HYUNDAI L&C 2026 - 2027
Bodaq Interior Film
New Collection

Premium Marble



PM019

● Fire Retardant ● General



Venato

● ● PM019

※ The images above are for illustrative purposes only, and may differ from the actual products.

Premium Marble



PM017 · PNC50



Bianco ●● PM017



PM003



Onyx ●● PM003

The marble pattern, long loved for its elegant charm, has been upgraded to an even more realistic look. By applying innovative coating technology to the existing marble surface, the premium marble delivers enhanced visual appeal, with a satin-like, powdery sanded stone texture that feels as luxurious to the touch as it looks.

● Fire Retardant ● General



Tundra ●● PM014



PM014



PM016



Fior di Bosco ●● PM016

Premium Marble



Terrazzo

PM008



Terrazzo

PM004



PM008



PM010



Basaltina

PM010



Basaltina

PM009

Fire Retardant General

Premium Marble



Pietra ● ● PM006



Pietra ● ● PM007



PM007

Stone & Marble



NS202

● Fire Retardant ● General



Travertine NEW ● ● NS201



Travertine NEW ● ● NS202

Stone & Marble



Sierra Stone ●● NS122




Granite ●● NS121



Sierra Stone ●● NS123




Granite ●● NS120




Cardoso ●● NS711




Cardoso ●● NS710



Flake Cement ●● NS898



Elba Stone ●● NS822




Elba Stone ●● NS823




Cement ●● NS703



Particle Stone ●● NS717



Concrete ●● NS401



Concrete ●● NS403

● Fire Retardant ● General

※ The images above are for illustrative purposes only, and may differ from the actual products.


Stone & Marble




Arabescato ●● NS814



Mono Terrazzo ●● NS715



Nero Marquina ●● NS804



White Marble ●● NS118



White Marble ●● NS119



Travertine ●● NS806

Exterior Film

We've extended the delicate design sense of our interior films to the exterior of buildings. Complete your building's first impression with Bodaq Exterior Film.



The image was taken from an actual exterior wall installation at the Hyundai L&C headquarters.

EXF54

● Fire Retardant ● General



Onyx NEW ● EXF51



Rustic Stone NEW ● EXF52



Wild Concrete NEW ● EXF53




Wild Concrete NEW ● EXF54

※ The images above are for illustrative purposes only, and may differ from the actual products.



ECF01

● Fire Retardant ● General



Easy Clean Film

NEW ● ECF01

Installation Guidelines

BODAQ	Installation Precautions	<ul style="list-style-type: none">• Check the condition of the substrate (product name, product type, surface conditions) before installation. (If any issues are found, notify the supplier.)• For MDF, ensure the density is uniform, as differences in density can affect adhesion and stability during installation.• Follow the following recommended cleaning procedures for the substrate<ul style="list-style-type: none">-For film covering and ABS doors, clean the surface of any contaminants and treat any damaged areas before installation.※ When using sandpaper on ABS doors, avoid causing uneven surfaces.-For MDF, PB, and similar materials, smooth rough surfaces with sandpaper or apply putty before installation.• Be cautious of color differences between production lots. It's best to avoid mixing different lots during installation.• When exposed to low temperatures during winter, the surface may crack, and adhesion strength may decrease. Take extra care.• Avoid substrates with scratches or wax components, as these can reduce adhesion.
	Primer Stage	<ul style="list-style-type: none">• It is recommended to use Bodaq Primer, produced by Hyundai L&C, for optimal performance and stability.• MDF, PB, and other wood materials have a high absorption rate, so 2-3 coats should be applied on cut edges.• After applying the primer, allow at least 2 hours for it to dry thoroughly before applying the film.[※Store Bodaq Primer (water-based) in a cool, shaded area, and do not use if the product has frozen. Take care during winter storage.
	Installation (Adhesion) Stage	<ul style="list-style-type: none">• Maintain a room temperature (15°C-23°C) to eliminate any residual moisture on the wall.• For products like, OGW, SPW, LW, SMT, UMI, PNC, and PNT, which have special coatings, ensure that the temperature is maintained before installation.• When installing special products, apply primer, allow it to dry, and use extra pressure to finish the installation.• Pay special attention to corners, as insufficient pressure may cause peeling.• Avoid moisture and direct sunlight during installation, and do not use the film outdoors.• During hot summer months, sealing the space immediately after installation can lead to high temperatures, potentially causing bubbles or peeling. To prevent this, ensure adequate ventilation throughout the process.
Product-Specific Usage Considerations		
OGW / SPW / LW / PNC / PNT Products (Premium Coating Type)		<ul style="list-style-type: none">• Handle with care to prevent damage to the special coating layer during installation, particularly when fitting into corners.• The surface features deep embossing, which may lead to tearing if subjected to excessive pressure or frequent removal and reattachment.• Clean the surfaces using mild detergent or water to avoid damage.
SMT Products (Matte Special Coating Type)		<ul style="list-style-type: none">• The special coating may hinder the squeegee to smoothly slide during installation, so be sure to apply adequate pressure.• Avoid contamination between the substrate and the adhesive surface to prevent marks or protrusions.• The special coating may make overlapping installations difficult, so use caution.• The product may not return to its original shape if wrinkled or marked, so handle it with care during storage and use.• Be aware that F/R and General versions may have different surface textures.
RF Products (Woven Type)		<ul style="list-style-type: none">• Be careful of scratches when using sharp tools due to the material's texture.• The thick material may be difficult to bend or overlap, and cutting it may be challenging.• There is no protective layer on the surface, so ensure careful use of the squeegee to avoid surface damage.• Tunnelling may occur if the fabric is rewound after use.
NF Products (Fabric Type)		<ul style="list-style-type: none">• The fabric material may unravel during cutting, leaving threads behind. Applying pressure with the squeegee may be difficult.• The product is designed for flat installations and may be difficult to bend or cut due to its thickness.• Overlapping may be difficult due to the water-repellent and F/R coating on the surface.• Handle carefully to avoid surface damage, as there is no film layer on the surface.
VM / RM Products (Pearl Type)		<ul style="list-style-type: none">• The pearl finish may show color variations depending on the distribution of the pearl pigments on the film surface.• Excessive detachment after overlapping installation could cause peeling.
UMI Products (Premium Real Metal Type)		<ul style="list-style-type: none">• To maximize surface effect, installation must be carried out in a very clean environment to avoid dents or protrusion marks.• If the product is wrinkled or dented, it cannot be restored due to its special structure. Handle with care during storage and use.• The product is harder than standard products, so bending or overlapping may be difficult.• Tunnelling may occur if the fabric is rewound after use.
HS Products (High Gloss Type)		<ul style="list-style-type: none">• Due to the high hardness of the product, sufficient pressure must be applied to prevent corner lifting.
ECF Products		<ul style="list-style-type: none">• To maximize surface effect, installation must be carried out in a very clean environment to avoid dents or protrusion marks.• If the product is wrinkled or dented, it cannot be restored due to its special structure. Handle with care during storage and use.• The product is harder than standard products, so bending or overlapping may be difficult.• Tunnelling may occur if the fabric is rewound after use.• Handle with care to prevent damage to the special coating layer during installation, particularly when fitting into corners.• Clean the surfaces using mild detergent or water to avoid damage.
	Other Precautions	<ul style="list-style-type: none">• There is a risk of discoloration due to UV exposure.• After installation, maintain room temperature for at least 1-2 days to allow the film to set properly.
BODAQ Exterior Film EXF Products	Installation Precautions	<ul style="list-style-type: none">• Installation is recommended on smooth, non-porous, and high-energy surfaces.• Check the condition of the substrate (product name, product type, surface conditions) before installation. (If any issues are found notify the supplier.)• Follow the following recommended cleaning procedures for the substrate<ul style="list-style-type: none">-Remove existing silicone caulking and residues, evenly fill dents or damaged areas, and sand the surface to remove contaminants and residues.• Be cautious of color differences between production lots. It's best to avoid mixing lots during installation.• When exposed to low temperatures during winter, the surface may crack, and adhesion strength may decrease. Take extra care.• Avoid substrates with scratches or wax components, as these can reduce adhesion.
	Primer Stage	<ul style="list-style-type: none">• Apply the material thoroughly, focusing on edges, which are more prone to foreign matter intrusion.• After applying the primer, allow at least 2 hours for it to dry thoroughly before applying the film.
	Installation (Adhesion) Stage	<ul style="list-style-type: none">• Installation is recommended at room temperature (15°C-23°C).• Remove surface moisture caused by condensation before installation.• Avoid moisture and direct sunlight during installation.• Pay special attention to corners, as insufficient pressure may cause peeling.• When applying silicone caulking after film attachment, cover at least 2 mm of the film with silicone.

For performance certifications and construction specifications, please contact Hyundai L&C.
www.hyundailnc.com / www.ebodaq.com